

Subpart L - Fun with Fall Protection

1. Noun Plural
2. Noun
3. Noun
4. Noun
5. Adjective
6. Noun
7. Adjective
8. Noun Plural
9. Noun Plural
10. Verb Base Form
11. Noun Plural
12. Verb Present Ends In Ing
13. Noun
14. Noun
15. Noun
16. Noun
17. Verb Present Ends In Ing
18. Noun
19. Noun
20. Noun Plural
21. Adjective
22. Noun Plural
23. Noun

24. Adjective
25. Noun
26. Noun
27. Adjective
28. Noun Plural
29. Adjective
30. Noun Plural
31. Adjective
32. Noun
33. Noun
34. Verb Present Ends In Ing
35. Proper Noun
36. Proper Noun
37. Adjective
38. Noun
39. Adjective Ends In Est

Subpart L - Fun with Fall Protection

1926.451(a)(1)

Except as provided in _____ (a)(2), (a)(3), (a)(4), (a)(5) and (g) of this _____, each scaffold and scaffold _____ shall be capable of supporting, without failure, its own _____ and at least 4 times the maximum _____ applied or transmitted to it.

1926.451(a)(2)

_____ connections to _____ and _____, and counterweights used to _____ adjustable suspension _____, shall be capable of _____ at least 4 times the tipping moment imposed by the _____ operating at the rated _____ of the _____, or 1.5 (minimum) times the tipping moment imposed by the _____ _____ at the stall load of the _____, whichever is greater

1926.451(a)(3)

Each suspension _____, including connecting _____, used on _____ suspension _____ shall be capable of supporting, without _____, at least 6 times the maximum _____ applied or transmitted to that _____.

1926.451(a)(4)

Each

_____ Adjective rope, including connecting _____ Noun Plural, used on _____ Adjective suspension
_____ Noun Plural shall be capable of supporting, without failure, at least 6 times the _____ Adjective intended
_____ Noun applied or transmitted to that _____ Noun with the scaffold _____ Verb Present ends in ING at
either the rated _____ Proper Noun of the _____ Proper Noun, or 2 (minimum) times the _____ Adjective load
of the _____ Noun, whichever is _____ Adjective Ends in EST.