More stories at WordBlanks.com

Subpart L - Fun with Fall Protection

1. Noun Plural _____
2. Noun _____
3. Noun _____
4. Noun _____
5. Adjective _____
6. Noun _____
7. Adjective _____
8. Noun Plural _____
9. Noun Plural _____
10. Verb Base Form _____
11. Noun Plural _____
12. Verb Present Ends In Ing _____
13. Noun _____
14. Noun _____
15. Noun _____
16. Noun _____
17. Verb Present Ends In Ing _____
18. Noun _____
19. Noun _____
20. Noun Plural _____
21. Adjective _____
22. Noun Plural _____
23. Noun _____

24. Adjective _____
25. Noun _____
26. Noun _____
27. Adjective _____
28. Noun Plural _____
29. Adjective _____
30. Noun Plural _____
31. Adjective _____
32. Noun _____
33. Noun _____
34. Verb Present Ends In Ing _____
35. Proper Noun _____
36. Proper Noun _____
37. Adjective _____
38. Noun _____
39. Adjective Ends In Est _____

Subpart L - Fun with Fall Protection

1926.451(a)(1)

Except as provided in _____Noun Plural_____ (a)(2), (a)(3), (a)(4), (a)(5) and (g) of this _____Noun_____, each scaffold and scaffold _____Noun_____ shall be capable of supporting, without failure, its own _____Noun_____ and at least 4 times the maximum _____Adjective_____ _____Noun_____ applied or transmitted to it.

1926.451(a)(2)

_____Adjective_____ connections to _____Noun Plural_____ and _____Noun Plural_____, and counterweights used to _____Verb Base Form_____ adjustable suspension _____Noun Plural_____, shall be capable of _____Verb Present ends in ING_____ at least 4 times the tipping moment imposed by the _____Noun_____ operating at the rated _____Noun_____ of the _____Noun_____, or 1.5 (minimum) times the tipping moment imposed by the _____Noun_____ _____Verb Present ends in ING_____ at the stall load of the _____Noun_____, whichever is greater

1926.451(a)(3)

Each suspension _____Noun_____, including connecting _____Noun Plural_____, used on _____Adjective_____ suspension _____Noun Plural_____ shall be capable of supporting, without _____Noun_____, at least 6 times the maximum _____Adjective_____ _____Noun_____ applied or transmitted to that _____Noun_____.

1926.451(a)(4)

Each

_____Adjective_____ rope, including connecting _____Noun Plural_____, used on _____Adjective_____ suspension _____Noun Plural_____ shall be capable of supporting, without failure, at least 6 times the _____Adjective_____ intended _____Noun_____ applied or transmitted to that _____Noun_____ with the scaffold _____Verb Present ends in ING_____ at either the rated _____Proper Noun_____ of the _____Proper Noun_____, or 2 (minimum) times the _____Adjective_____ load of the _____Noun_____, whichever is _____Adjective Ends in EST_____.

©2026 WordBlanks.com · All Rights Reserved.